


DO NOT SCALE THIS DRAWING - IF IN DOUBT ASK



PLAN VIEW

ALIMATS® INTERLOCKING MODULE QUANTITIES:

- Base Layer (if required): 164 number 2000mm x 1200mm x 30mm Ethafoam
- Mid Layer: 116 number 1740mm x 580mm x 60mm
230 number 3480mm x 580mm x 60mm
- Top Layer: 8 number 2175mm x 580mm x 60mm

DESIGN NOTES:

- a. The purpose of outrigger mats is to spread the outrigger load over the entire mat area. To achieve this the material must be suitably stiff and be able to deflect in order to increase the area the load is applied to the ground, thus reducing the applied pressure. This will be dependant on the supporting ground and must be considered / specified within the Temporary Works design. Where outrigger mats are used on hard surface it is recommended that a compressible layer (ie: Ethafoam) is placed below the mat surface to ensure the system functions as structurally intended.
- b. For further guidance on section properties and or any other technical query please contact Brilliant Ideas Ltd on 01335 345 111 or enquiries@brilliantideasltd.co.uk
- c. All Temporary Works designs should be carried out by a competent Temporary Works Engineer, it is the Temporary Works Engineer's responsibility to ensure that the ALIMATS® system is suitable for their application.

IMPORTANT NOTICE - MODULE INTERLOCK:

Brilliant Ideas Ltd manufacture ALIMATS® from extruded Aluminium and the system has a fully patented interlocking design which enables monolithic action and bi-directional load spread. To ensure the system works as structurally intended the interlock must be engaged along the longitudinal joints.



INTERLOCK BEING ENGAGED DURING SITE SET-UP		
INTERLOCKED		
NO INTERLOCK		

Guidance on site placement refer to document: **Risk Assessment / Site Placement Guidelines**

Revision	Description	Date	Initial	Checked



Brilliant Ideas Ltd
New House Farm
Belper Road
Bradley
Ashbourne
DE6 1LP
Website: www.brilliantideasltd.co.uk
Telephone: +44 (0) 1335 345 111

Drawing Title:
**PREMIER MODULAR
EUSTON STATION
MEWP TRACKING AND OPERATING**

Drawn By: DW	Scale @ A3: NTS UNO
Checked By: KH	Date: 17/08/2022
Drawing Number: A-BIL-354M-GA01	Revision: T1